



In accordance with SAE Aerospace Standard AS7003, to the revision in effect at the time of the audit, this certificate is granted and awarded by the authority of the Nadcap Management Council to:

Cincinnati Thermal Spray Inc

5901 Creek Rd
Cincinnati, OH 45252

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Coatings

Expiration Date: October 31, 2011
Certificate No. 125904
Issued: September 10, 2009

William G. Wagner, Vice President and General Manager

Performance Review Institute (PRI) 161 Thorn Hill Road Warrendale, PA 15086-7527



SCOPE OF ACCREDITATION

Coatings

Accreditation Date: September 10, 2009

Expiration Date: October 31, 2011

Audit# 125904

Certificate# 125904

Cincinnati Thermal Spray Inc
5901 Creek Rd
Cincinnati, OH 45252

Mark Dobrowski - Quality Manager

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7108/1 Rev A - Nadcap Audit Criteria for Dry Film Coatings (Painting Requires a Chemical Processing Audit)

Other

AC7109 Rev B - Nadcap Audit Criteria for Coatings

AC7109/1 Rev B - Nadcap Audit Criteria for Thermal Spray

Electric Arc Wire Spray
High Velocity Oxy Fuel (HVOF) / Detonation Gun Spray
Oxy/Fuel Powder Spray
Plasma Thermal Spray

AC7109/4 Rev B - Nadcap Audit Criteria for Stripping

Grit Blast

AC7109/5 Rev C - Nadcap Audit Criteria for Coating Evaluation Laboratory Practices (Req'd for all Coatings audits - except suppliers using Nadcap approved AC7109/5 labs)(to be used on or AFTER 8-Feb-09)

Americas

Asia

Europe

t-fm-17 1 724 772 1616

+44 870 350 5011 Jun-07

www.pri-network.com

Bond Strength - Bend
Bond Strength - Other
Bond Strength - Tensile
Erosion - Ambient
Hardness - Rockwell
Metallography
Microhardness - Vickers
Specimen Preparation
Surface Finish
Thickness - Mechanical
Thickness - Metallographic